

Jumpers for Springtime

LINCOLN

Book No. 688 Price 7d.

Model No. L1436
See Page 4



LINCOLN

Model No. L1401

SEE PAGE 6



LINCOLN

Model No. L1417

SEE PAGE 8

Jumper with Broderie Anglaise Yoke

In "Spira" Wool

Model No. L1436—Illustrated on Front Cover.

MATERIALS REQUIRED

4 Skeins (2 oz.)

LINCOLN MILLS "SPIRA" WOOL

1 pair each No. 11 and No. 13 Knitting Needles.
3 buttons.

MEASUREMENTS :

To fit 33-35 inch bust.
Length from back of neck—20½ inches.
Sleeve seam—5 inches.

TENSION : 15½ stitches and 20 rows = 2 inches.

BACK :—Using No. 13 needles cast on 109 sts. and work in K1, P1 ribbing for 35 rows.

36th row.—In rib, increasing to 121 sts. by working twice into every 9th st. across row.

Change to No. 11 needles and work in stocking st. increasing 1 st. each end of 7th and every 8th row following until there are 131 sts. on needle and then without further shaping until 60th row above ribbing is complete.

61st row.—K39, (K2 tog., w.f.) 13 times, K1, (w.f., S1, K1, p.s.s.o.) 13 times, K39.

62nd and every alternate row.—Purl.

63rd row.—As 61st row.

65th row.—K39, (K2 tog. w.f.) twice, K45 (w.f., S1, K1, p.s.s.o.) twice, K39.

67th row.—K39, (K2 tog. w.f.) twice, K2, (K2 tog. w.f., K1, w.f., S1, K1, p.s.s.o., K13) twice, K2 tog. w.f., K1, w.f., S1, K1, p.s.s.o., K2, (w.f., S1, K1, p.s.s.o.) twice, K39.

69th row.—As 67th row.

71st row.—As 65th row.

73rd row.—K39, (K2 tog. w.f.) twice, K11, K2 tog., w.f., K1, w.f., S1, K1, p.s.s.o., K13, K2 tog., w.f., K1, w.f., S1, K1, p.s.s.o., K11, (w.f., S1, K1, p.s.s.o.) twice, K39.

75th row.—As 73rd row.

Repeat 65th-76th rows until the 92nd row above ribbing is complete.

Armhole Shaping :—Keeping continuity of pattern, cast off 11 sts. at beginning of next 2 rows, then decrease 1 st. at each end of next and every row following until 95 sts. remain and 16th row of armhole shaping is complete.

17th row.—K1, (K2 tog., w.f.) 12 times, K11, K2 tog., w.f., K1, w.f., S1, K1, p.s.s.o., K13, K2 tog., w.f., K1, w.f., S1, K1, p.s.s.o., K11, (w.f., S1, K1, p.s.s.o.) 12 times, K1.

19th row.—As 17th row.

21st row.—Knit.

23rd row.—K9, (K2 tog., w.f., K1, w.f., S1, K1, p.s.s.o., K13) 4 times, K2 tog., w.f., K1, w.f., S1, K1, p.s.s.o., K9.

25th row.—As 23rd row.

27th row.—Knit.

29th row.—(K2 tog., w.f., K1, w.f., S1, K1, p.s.s.o., K13) 5 times, K2 tog., w.f., K1, w.f., S1, K1, p.s.s.o.

31st row.—As 29th row.

Rows 21-32 complete pattern. Continue in pattern until there are 40 rows in armhole.

41st row.—Pattern 48 sts., leave remaining 47 sts. on spare needle.

Continue in pattern on these 48 sts. until there are 68 rows in armhole.

Shoulder Shaping :—Still keeping continuity of pattern, cast off 10 sts. at beginning of next and following alternate row and 11 sts. on next alternate row. Cast off remainder.

Join wool at centre to remaining 47 sts. cast on one stitch and work to correspond with side already worked.

FRONT :—Work as for back until armhole shaping is complete (95 sts.) and then without further shaping to correspond with back until there are 42 rows in armhole.

43rd row.—Pattern 41 sts., leave on spare needle, cast off 13 sts., pattern remaining 41 sts.

Continue in pattern on these 41 sts. decreasing 1 st. at neck edge of every row until 31 sts. remain, then without further shaping until there are 68 rows in armhole shaping.

Shoulder Shaping :—Cast off 10 sts. at beginning of next and following alternate row and remainder on following alternate row.

Join wool at neck edge to remaining 41 sts. and work to correspond with side already worked.

SLEEVES :—Using No. 13 needles, cast on 75 sts. Work in K1, P1 ribbing for 7 rows.

8th row.—In rib, increasing to 83 sts. by working twice into every 9th st. across row.

Change to No. 11 needles.

1st row.—Knit.

2nd row and every alternate row.—Purl.

3rd row.—Knit.

4th row.—Purl, increasing 1 st. at each end.

5th row.—K24, (K2 tog., w.f.) 9 times, K1, (w.f., S1, K1, p.s.s.o.) 9 times, K24.

7th row.—As 5th row.

8th row.—Purl, increasing 1 st. at each end.

9th row.—K25, (K2 tog., w.f.) twice, K29 (w.f., S1, K1, p.s.s.o.) twice, K25.

11th row.—K25, (K2 tog., w.f.) twice, K12, K2 tog., w.f., K1, w.f., S1, K1, p.s.s.o., K12, (w.f., S1, K1, p.s.s.o.) twice, K25.

12th row.—As 4th row.

13th row.—As 11th, beginning and ending with K26 instead of K25.

15th row.—As 9th, allowing for increase.

16th row.—As 4th row.

17th row.—K27, (K2 tog., w.f.) twice, K3, K2 tog., w.f., K1, w.f., S1, K1, p.s.s.o., K13, K2 tog., w.f., K1, w.f., S1, K1, p.s.s.o., K3, (w.f., S1, K1, p.s.s.o.) twice, K27.

19th row.—As 17th row.

Keeping continuity of pattern, increase 1 st. at each end of 20th and every 4th row following, until there are 97 sts. on needle and then without further shaping until there are 42 rows above ribbing.

Armhole Shaping :—Still keeping continuity of pattern, cast off 11 sts. at beginning of next 2 rows, then continue in pattern until 16th row of armhole shaping is complete, decreasing 1 st. at each end of 3rd, 7th, 11th and 15th rows.

17th row.—K1, (K2 tog., w.f.) 9 times, K12, K2 tog., w.f., K1, w.f., S1, K1, p.s.s.o., K12, (w.f., S1, K1, p.s.s.o.) 9 times, K1.

19th row.—K3 tog. w.f., (K2 tog., w.f.) 8 times, K12, K2 tog., w.f., K1, w.f., S1, K1, p.s.s.o., K12, (w.f., S1, K1, p.s.s.o.) 8 times, w.f., K3 tog.

21st row.—Knit.

Continue in pattern as for Yoke, decreasing 1 st. at each end of 23rd and every 4th row following until 49 sts. remain, then decrease 1 st. at each end of every row until 37 sts. remain.

Next row.—(P1, P2 tog.) to last st., P1.

Cast off.

Press work, join shoulder, side and sleeve seams. Set in sleeves.

COLLAR :—Using No. 13 needles and beginning at centre front stitch, with wrong side of work facing, pick up and knit 56 sts. round neck to back opening.

1st row.—* (P1, K1) 3 times, (P1, K1) into next st.*, repeat from * to * to last 7 sts., (P1, K1) 3 times, P1 (63 sts.).

Work in P1, K1 ribbing for 17 rows, increasing 1 st. at each end of 2nd and every alternate row following. Cast off in rib. Commencing at back of neck and ending at centre front, work other side of collar to correspond.

Work 2 rows of double crochet around back opening, making 3 loop buttonholes on left side in 2nd row. Sew buttons into position to correspond.



"Bow" Jumper
In "Daphne" Crochet Wool

Model No. L1401—Illustrated on Page 2.

MATERIALS REQUIRED
9 Skeins (1 oz.)
LINCOLN MILLS "DAPHNE" CROCHET WOOL
(8 skeins main colour, 1 skein contrasting colour).
1 pair each No. 13 and No. 10 knitting Needles.
4 buttons.

MEASUREMENTS :
To fit 32-34 inch bust. Length from top of neck—19½ inches. Sleeve seam—5 inches.

TENSION :
7½ sts. and 10 rows = 1 inch.

ABBREVIATIONS :
M.—Main colour. C.—Contrasting colour.
Inc. 1 = knit into back of thread running between stitch just knitted and one to be knitted.

BACK : Using No. 13 needles and main colour, cast on 108 sts. Work in K1, P1 ribbing for 60 rows.

Change to No. 10 needles and work in stocking stitch (i.e. knit 1 row, purl 1 row) increasing 1 st. at each end of 1st and every 8th row following until there are 122 sts. on needle and then without further shaping until there are 62 rows above ribbing.

Armhole Shaping : Cast off 7 sts. at beginning of next 2 rows, then decrease 1 st. at each end of every row until 92 sts. remain. Continue without further shaping until there are 34 rows in armhole.

35th row.—K49, leave remaining sts. on spare needle.

36th row.—K2, P3, K1, P43.

Repeat 35th and 36th rows 5 times.

47th row.—K44, K2 tog., w.f., K3.

48th row.—As 36th row.

Repeat 35th and 36th rows until there are 72 rows in armhole, working further buttonholes in 57th and 67th rows.

Shoulder Shaping :

73rd row.—Cast off 8 sts., knit to end.

74th row.—K2, P3, K1, purl to end.

75th row.—As 73rd row.

76th row.—As 74th row.

77th row.—Cast off 8 sts., knit to last 5 sts., K2 tog., w.f., K3.

78th row.—As 74th row.

79th row.—As 73rd row.

80th row.—Cast off, leave last stitch on needle, cast on 6 sts., turn, K7 then pick up and knit 16 sts. passing the needle through back of each cast off stitch.

Work in stocking stitch for 6 rows, making a buttonhole in 3rd row. Cast off.

Cast on 6 sts., then join wool at centre to stitches from spare needle, and, omitting buttonholes and working the 6 cast on sts. in garter stitch, work to correspond with side already worked, until the 73rd row of armhole is complete.

Shoulder Shaping :

74th row.—Cast off 8 sts. purlwise, purl to last 6 sts., K6.

75th row.—Knit.

Repeat 74th and 75th rows twice, then 74th row once.

81st row.—Cast off, leave last loop on needle, cast on 6 sts., turn P7, pick up and purl 16 sts. passing needle through front of each cast off stitch. Complete to correspond with side already worked, omitting buttonhole.

FRONT :—Work as for back until there are 10 rows in armhole shaping (92 sts.).

11th row.—Knit 34M, 5C, 53M.

12th row.—Purl 51M, 8C, 33M.

Continue working from chart until 39th row is complete. Break off contrast and purl 1 row.

41st row.—K23, leave on spare needle, cast off 46 sts., K23.

42nd row.—P23, cast on 6 sts.

43rd row.—** Knit.

44th row.—Purl to last 2 sts., K2.

45th row.—K6, inc. 1, knit to end.*

46th row.—As 44th row **.

Repeat from ** to ** until there are 37 sts. on needle, then from ** to * (73rd row).

Shoulder Shaping :

74th row.—Cast off 8 sts., purl to last 2 sts., K2.

75th row.—Knit.

76th row.—As 74th row.

77th row.—K6, inc. 1, knit to end.

78th row.—As 1st row.

79th row.—As 2nd row.

Cast off.

Cast on 6 sts., then purl across the 23 sts. from spare needle, commencing at neck edge.

43rd row.—** Knit.

44th row.—K2, purl to end.

45th row.—Knit to last 2 sts., inc. 1, K6. *

46th row.—As 44th row. **

Repeat from ** to ** until there are 36 sts. on needle, then from ** to * (72nd row).

Shoulder Shaping :

73rd row.—Cast off 8 sts., knit to last 6 sts., inc. 1, K6.

74th row.—K2, purl to end.

75th row.—Cast off 8 sts., knit to end.

76th row.—As 74th row.

77th row.—As 73rd row.

Cast off.

SLEEVES : Using No. 13 needles cast on 78 sts. Work in K1, P1 ribbing for 12 rows.

Change to No. 10 needles and work in stocking stitch, increasing 1 st. at each end of 3rd and every 4th row following until there are 94 sts. on needle. Work 5 rows without further shaping.

Armhole Shaping :—Cast off 7 sts. at beginning of next 2 rows, then decrease 1 st. at each end of 3rd and every 4th row following until 62 sts. remain, then every alternate row until 42 sts. remain, then every row until 26 sts. remain. Cast off.

TO MAKE UP : Join shoulder, side and sleeve seams. Set in sleeves. Sew cast on sts. at base of back opening to inside of garment.

Neck facing :—Pick up and knit 6 sts. across, cast on sts. on right side of neck, then pick up and knit 46 sts. across front of neck, passing needle once through each cast off stitch, then pick up 6 across the cast on sts. on left side of neck. Work in stocking stitch for 6 rows. Cast off. Join shoulder seams of facing, then turn facing in all round neck and stitch into position. Sew buttons on to correspond with buttonhole. Press all parts avoiding ribbing.

Lacy Pyramid Panelled Jumper
In "Daphne" Crochet Wool

Model No. L1417—Illustrated on Page 3.

MATERIALS REQUIRED

7 Skeins (1 oz.)

LINCOLN MILLS "DAPHNE" CROCHET WOOL

1 pair each No. 10, No. 12 and No. 13 Knitting Needles.

3 small buttons.

1 steel crochet hook, size 3.

MEASUREMENTS :

To fit 33-34 inch bust.

Length from back of neck—20 inches.

Sleeve seam—6 inches.

TENSION : 7½ sts. and 10 rows=1 inch.

ABBREVIATIONS :

w.o.n.—Wool over needle.

w.r.n.—Wool round needle.

w.f.—Wool forward.

5 in 1—(K1, P1, K1, P1, K1) into next st.

K5 tog.—(K2 tog., K3 tog., pass one stitch over other).

BACK :—Using No. 12 needles cast on 114 sts. and work in K1, P1 rib for 62 rows. Change to No. 10 needles and work in stocking st., increasing 1 st. at each end of 13th and every 8th row following until there are 128 sts. on needle, then without further shaping until there are 74 rows above ribbing.

Armhole Shaping : Cast off 8 sts. at beginning of next 2 rows, then decrease 1 st. at each end of next and every alternate row until 100 sts. remain. Continue without further shaping until there are 66 rows in armhole.

Shoulder Shaping : Cast off 9 sts. at beginning of next 2 rows, then 10 sts. at beginning of following 4 rows. Cast off remainder.

FRONT :—Using No. 12 needles cast on 114 sts. and work in K1, P1 rib for 62 rows.

Change to No. 10 needles and commence pattern—

1st row.—K12, (P1, w.o.n., S1, K1, p.s.s.o., P9, K2 tog., w.r.n., P1, K10) 4 times, K2.

2nd row.—P12, (K1, P2, K9, P2, K1, P10) 4 times, P2.

3rd row—K12, (P1, K1, w.f., S1, K1, p.s.s.o., P3, 5 in 1, P3, K2 tog., w.f., K1, P1, K10) 4 times, K2.

4th row.—P12, (K1, P3, K3, P5, K3, P3, K1, P10) 4 times, P2.

5th row.—K12, (P1, K2, w.f., S1, K1, p.s.s.o., K2 tog., P2, K5, P2, K2 tog., w.f., K2, P1, K10) 4 times, K2.

6th row.—P12, (K1, P4, K2, P5, K2, P4, K1, P10) 4 times, P2.

7th row.—K12, (P1, K3, w.f., S1, K1, p.s.s.o., P1, K5 tog., P1, K2 tog., w.f., K3, P1, K10) 4 times, K2.

8th row.—P12, (K1, P5, K3, P5, K1, P10) 4 times, P2.

9th row.—K12, (P1, K4, w.f., S1, K1, p.s.s.o., P1, K2 tog., w.f., K4, P1, K10) 4 times, K2.

10th row.—P12, (K1, P6, K1, P6, K1, P10) 4 times, P2.

11th row.—K12, (P1, K5, w.f., S1, K2 tog., p.s.s.o., w.f., K5, P1, K10) 4 times, K2.

12th row.—P12, (K1, P13, K1, P10) 4 times, P2. Rows 1-12 complete pattern. Repeat pattern increasing 1 st. at each end of 13th and every 8th row following until there are 128 sts. on needle (19 sts. in stocking st. panel at each end) and then without further shaping until there are 74 rows above ribbing.

Armhole Shaping :—Cast off 8 sts. at beginning of next 2 rows, then decrease 1 st. at each end of next and every alternate row following until 100 sts. remain (5 sts. in stocking st. at each end). Continue without further shaping until there are 34 rows in armhole.

35th row.—Pattern 29 sts., leave on spare needle, cast off 42 sts., pattern 29 sts.

Continue in pattern on last 29 sts. until there are 67 rows in armhole shaping.

Shoulder Shaping :—Cast off 9 sts. at beginning of 68th row, 10 sts. at beginning of 70th row and remainder on 72nd row.

Join wool at neck edge to stitches from spare needle and work to correspond, commencing shoulder shaping on 67th row.

SLEEVES :—Using No. 12 needles cast on 76 sts. and work in K1, P1 rib for 18 rows, increasing 1 st. at each end of 11th and 17th rows.

Change to No. 10 needles and work in stocking st., increasing 1 st. at each end of 5th and every 6th row following until there are 90 sts. on needle and then without further shaping until there are 42 rows above ribbing.

Armhole Shaping :—Cast off 5 sts. at beginning of next 2 rows, then decrease 1 st. at each end of next and every alternate row following until 26 sts. remain. Cast off.

Join right shoulder seam.

NECK BAND :—Using No. 13 needles and with right side of work facing, commencing at left shoulder, pick up and knit 33 sts. down left side of neck, 41 sts. across front, 33 sts. up right side to shoulder and 44 sts. across back of neck (151 sts.).

1st row.—(K1, P1) 38 times, K1, (K1, P1) 20 times, K1, (K1, P1) 16 times, K1.

2nd row.—(P1, K1) 15 times, P1, S1, K1, p.s.s.o., K2 tog., (P1, K1) 18 times, P1, S1, K1, p.s.s.o., K2 tog. (P1, K1) 37 times, P1.

3rd and every alternate row.—In rib.

4th row.—(P1, K1) 15 times, S1, K1, p.s.s.o., K2 tog., (K1, P1) 17 times, K1, S1, K1, p.s.s.o., K2 tog., (K1, P1) 37 times.

Continue in this way, decreasing each side of corner decreases in every alternate row until 10th row is complete. Cast off in rib.

TO MAKE UP :—Join left shoulder seam for 1½ inches, also side and sleeve seams. Using No. 12 needles, with right side of work facing, pick up and knit 26 sts. along back of shoulder opening. Work in garter stitch for 5 rows. Cast off.

Using crochet hook, work 3 loops along front of shoulder opening. Sew buttons on to back to correspond.

Two-Tone Striped Jumper
In "Daphne" Crochet Wool

Model No. L1459—Illustrated on Page 14.

MATERIALS REQUIRED

7 Skeins (1 oz.)

LINCOLN MILLS "DAPHNE" CROCHET WOOL

(5 skeins main colour and 2 skeins contrast colour).

1 pair each No. 10, No. 12 and No. 13 Knitting Needles.

4 small buttons.

1 steel crochet hook, size 3.

MEASUREMENTS :

To fit 32-34 inch bust.

Length from top of shoulder—19 inches.

Sleeve seam—5½ inches.

TENSION :—7½ sts., and 10 rows=1 inch.

BACK :—Using No. 12 needles and main colour, cast on 110 sts. and work in K1, P1 rib for 50 rows. Change to No. 10 needles and contrast colour and work in stocking stitch (i.e., knit 1 row, purl 1 row) for 4 rows.

Change to main colour and work 2 rows in garter stitch (i.e., knit both rows), then work 5 rows in K1, P1 rib, then knit 1 row.

These 12 rows complete pattern.

Continue in pattern, increasing 1 st. at each end of 13th and every 6th row following until there are 128 sts. on needle and then without further shaping until there are 8 complete patterns.

Armhole shaping :—Still keeping continuity of pattern, cast off 8 sts. at beginning of next 2 rows, then decrease 1 st. at each end of next and every alternate row following until 98 sts. remain. Continue without further shaping until there are 64 rows in armhole shaping.

Shoulder Shaping :—Cast off 9 sts. at beginning of following 4 rows, and 10 sts. at beginning of following 2 rows.

Cast off remainder.

FRONT :

Work as for back, until there are 45 rows in armhole.

46th row.—Knit 38 sts., leave on spare needle, cast off 22 sts., K38.

Keeping continuity of pattern, work on last 38 sts. decreasing 1 st. at neck edge of every row until 28 sts. remain, then without further shaping until there are 64 rows in armhole.

Shoulder Shaping :—Cast off 9 sts. at beginning of next and following alternate row and remainder on following alternate row.

Join wool at neck edge to remaining 38 sts. and complete to correspond.

SLEEVES :

Using No. 12 needles, and main colour, cast on 78 sts. Work in K1, P1 rib for 18 rows, increasing 1 st. at each end of last row. Change to No. 10 needles and work in pattern as given for back, increasing 1 st. each end of 5th and every 4th row following until there are 94 sts. on needle, and then without further shaping until there are 36 rows above ribbing.

Armhole Shaping :—Still keeping continuity of pattern, cast off 8 sts. at beginning of next 2 rows, then decrease 1 st. at each end of next and every alternate row following until 28 sts. remain. Cast off. Join right shoulder seam.

NECK BAND :

With right side of work facing, using No. 13 needles and main colour, commence at left shoulder and pick up and knit 24 sts. down left side of neck, 22 sts. across front, 24 sts. up right side, and 52 sts. across back of neck. Work in K1, P1 rib for 9 rows.

Cast off in rib.

TO MAKE UP :

Join side and sleeve seams and left shoulder for 1½ inches.

Sew in sleeves.

Using No. 12 needles and main colour, pick up and knit 24 sts. along back of shoulder opening. Work in garter stitch for 5 rows.

Cast off.

Using crochet hook, work 4 loops buttonholes along front of shoulder opening.

Press all sections except bottom rib carefully. Sew buttons into position to correspond with loops.

Braid Trimmed Jumper
In "Daphne" Crochet Wool

Model No. L1398—Illustrated on Back Cover.

MATERIALS REQUIRED

8 Skeins (1 oz.)

LINCOLN MILLS "DAPHNE" CROCHET WOOL

1 pair each No. 13 and No. 10 Knitting Needles.
7 medium sized buttons.
2 yards Gold Russian Braid.

MEASUREMENTS :

To fit 35-36 inch bust.
Length from top of shoulder—20 inches.
Sleeve seam—6 inches.

TENSION : 7½ stitches and 10 rows=1 inch.

POCKET FACING :

Using No. 10 needles, cast on 25 sts. and work in Stocking Stitch for 4 inches, ending with a knit row. Leave on spare needle.

FRONT :

*Using No. 13 needles cast on 118 sts. and work in K1, P1, rib for 3½ inches.

Change to No. 10 needles and work in stocking stitch, increasing 1 st. at each end in the 7th and every 8th row following until there are 134 sts. on needle.

Continue without further shaping until work measures 11½ inches from commencement.

Armhole Shaping :—Cast off 8 sts. at the beginning of next 2 rows, then decrease 1 st. at each end in every row until 104 sts. remain.*

Continue without further shaping until work measures 16 inches ending with a purl row.

Work buttonholes for top of pocket as follows :—

1st row.—Knit to last 29 sts., (cast off 3 sts., K4) 3 times, K8.

2nd row.—P12, (cast on 3 sts, P4) 3 times, purl to end of row.

3rd row.—Knit.

4th row.—Purl.

Repeat the 3rd and 4th rows.

7th row.—Knit to last 33 sts., cast off 25 sts., knit to end of row.

8th row.—P8, P25 pocket facing sts. from spare needle, purl to end of row.

Continue in stocking stitch until work measures 18½ inches from commencement.

Make buttonholes on shoulder as follows :—

Next row.—K8, (cast off 3, K4) 4 times, knit to end of row.

Next row.—Purl, casting on 3 sts. in place of each 3 cast off in previous row. Work 4 rows in stocking stitch.

Cast off.

BACK :

Repeat from * to * as given for Front (104 sts.). Continue without further shaping until work measures same as Front to Shoulders.

Shoulder Shaping :—Cast off 6 sts. at the beginning of next 10 rows.

Cast off remainder.

NECK FACING :

Using No. 10 needles, cast on 104 sts. and work in stocking stitch for 4 rows.

Cast off knitwise.

POCKET FACING FOR TOP :

Using No. 10 needles, cast on 25 sts. and work in stocking stitch for 4 rows.

Cast off knitwise.

TO ATTACH POCKET AND NECK HEMS :

Hold cast off edges side by side and using a darning needle and thread, pick up inner loop of each st. alternately from each side working backwards. Fold back and hem into position.

SLEEVES :

Using No. 13 needles, cast on 88 sts. and work in K1, P1, rib for 1½ inches.

Change to No. 10 needles and work in stocking stitch, increasing 1 st. at each end in the 3rd and every 4th row following until there are 106 sts. on needle.

Work 5 rows.

Armhole Shaping :—Cast off 4 sts. at the beginning of next 2 rows, then decrease 1 st. at each end in the next and every alternate row following until 46 sts. remain, then in every row until 22 sts. remain.

Cast off.

TO MAKE UP :

Press all parts under a damp cloth.
Sew Russian Braid in pattern as illustrated.
Sew pocket facings in position.
Join side and sleeves seams.
Join right shoulder with cast off edge of back to bottom of hem at front neck, also one inch of left shoulder at armhole end. Sew sleeves in to armholes matching seam to seam at underarm. Turn in a hem and stitch into position at back of neck. Sew buttons at shoulder and pocket top to correspond with buttonholes.

Broderie Anglaise Jumper

In "Daphne" Crochet Wool

Model No. L1422—Illustrated on Page 13.

MATERIALS REQUIRED

7 Skeins (1 oz.)

LINCOLN MILLS "DAPHNE" CROCHET WOOL

1 pair each No. 10 and No. 12 Knitting Needles.
1 size 3 steel crochet hook.
3 small buttons.

MEASUREMENTS :
To fit 32-34 inch bust.
Length from top of shoulder—20 inches.
Sleeve seam—6 inches.

TENSION : 7½ sts. and 10 rows = 1 inch.

BACK :—Using No. 12 needles cast on 114 sts. and work in rib of K1, P1 for 60 rows, increasing 1 st. in last row.
Change to No. 10 needles and work in stocking stitch, increasing 1 st. at each end of 19th and every 8th row following until there are 129 sts. on needle and then without further shaping until 76th row above ribbing is worked.
Armhole Shaping :—Cast off 8 sts. at beginning of next 2 rows, then decrease 1 st. at each end of next and every alt. row following until 101 sts. remain. Continue without further shaping until there are 66 rows in armhole.
Shoulder Shaping : Cast off 9 sts. at beginning of next 4 rows and 10 sts. at beginning of following 2 rows. Cast off remainder.

FRONT :—Work as for back for 60 rows (115 sts.). Change to No. 10 needles.
1st row.—Knit.
2nd row.—Purl.
3rd row.—Knit.
4th row.—Purl.
5th row.—K7, (w.f., S1, K2 tog., p.s.s.o., w.f., K11) 7 times, w.f., S1, K2 tog., p.s.s.o., w.f., K7.
6th row, and every alternate row.—Purl.
7th row.—K5, (K2 tog., w.f., K3, w.f., S1, K1, p.s.s.o., K7) 7 times, K2 tog., w.f., K3, w.f., S1, K1, p.s.s.o., K5.
9th row.—As 5th row.
11th row.—Knit.
13th row.—K14, (w.f., S1, K2 tog., p.s.s.o., w.f., K11) 7 times, K3.
15th row.—K12, (K2 tog., w.f., K3, w.f., S1, K1, p.s.s.o., K7) 7 times, K5.
17th row.—As 13th row.
18th row.—Purl.
Rows 3-18 complete pattern. Continue in pattern increasing 1 st. at each end of 19th and every 8th row following until there are 129 sts. on needle (working extra stitches at each end in stocking stitch) and then without further shaping until there are 76 rows above ribbing.
Armhole Shaping: Still keeping continuity of pattern, cast off 8 sts. at beginning of next 2 rows, then decrease 1 st. at each end of next and every alternate row following until 101 sts. remain and then without further shaping until there are 32 rows in armhole shaping.
Neck Shaping: Pattern 29 sts., leave on spare needle, cast off 43 sts., pattern 29 sts.
Continue on last 29 sts. until there are 67 rows in armhole.
Shoulder Shaping: Cast off 9 sts. at beginning of next and following alternate row and remainder on next alternate row.
Join wool at neck edge to sts. from spare needle and work to correspond with side already worked.

SLEEVES :—Using No. 12 needles cast on 76 sts. Work in K1, P1 rib for 18 rows. Change to No. 10 needles and increase 1 st. at each end of 1st and every 6th row following until there are 90 sts. on needle and then without further shaping until there are 52 rows above ribbing.
Armhole Shaping :—Cast off 5 sts. at beginning of next 2 rows then decrease 1 st. at each end of next and every alternate row following until 26 sts. remain. Cast off.
Join right shoulder seam.

NECK BAND : Using No. 12 needles, with right side of work facing and commencing at left shoulder seam, pick up and knit 35 sts. down left side of neck (place a marker of contrasting wool on needle), 43 sts. across front (place 2nd marker on needle) 35 up right front and 60 across back of neck.
1st row.—(K1, P1) 47 times, K1, marker (K1, P1) 21 times, K1, marker, (K1, P1) 17 times, K1.
2nd row.—(P1, K1) 16 times, P1, S1, K1, p.s.s.o., marker, K2 tog., (P1, K1) 19 times, P1, S1, K1, p.s.s.o., marker, K2 tog., (P1, K1) 46 times, P1.
Continue in rib as above, decreasing 1 st. each side of marker in every alternate row until there are 10 rows in neck band. Cast off in rib.

TO MAKE UP :—Join side and sleeve seams and left shoulder seam for 1½ inches. With right side of work facing, using No. 12 needles, pick up and knit 24 sts. along back of left shoulder opening. Work in garter stitch for 5 rows. Cast off.
Crochet 3 loop buttonholes along front of shoulder opening. Sew buttons into position to correspond with buttonholes. Press all sections, except ribbing.



LINCOLN

Model No. L1422

SEE PAGE 12



LINCOLN

Model No. L1459

SEE PAGE 10

Knitting Notes

It is IMPORTANT that sufficient wool of the same blend should be purchased before commencing to knit the garment, as it is impossible to avoid slight variations in shade between different blends. This applies to white as well as coloured yarns.

Description of Stitches

GARTER STITCH : Knit every Row.

STOCKING STITCH : Knit 1 row, Purl 1 row, alternately.

MOSS STITCH : K1, P1, ending row with K1. Next Row, K1, P1, ending row with K1.

Abbreviations

K = Knit.
P = Purl.
Tog. = Together.
W.F. = Wool Forward.
W.R.N. = Wool Round Needle.
W.O.N. = Wool Over Needle.
P.S.S.O. = Pass Slip Stitch Over.
T.B.L. = Through back of loops.
N.T.F. = Needle to Front.
Dec. = Decrease.
Inc. = Increase.
Sl. 1 or S. 1 = Slip 1 Stitch.
M. 1 = Make 1 Stitch.
Ch. = Chain.
D.C. = Double Crochet.
Tr. = Treble.
N.T.B. = Needle to back.

IMPORTANT :—To obtain the best results and correctly proportioned garment, the following three points are essential :—(1) Use the exact wool specified ; (2) Use the correct size of needles ; (3) Keep knitting tension strictly in accordance with instructions.

Adapting Directions to any Required Size

Tension in knitting is the keynote to the variation in the size of the garment, therefore it is very important to keep knitting tension strictly in accordance with instructions—by using the **exact wool specified** and the correct size of needles.

Before commencing the garment knit a 3-inch square in the stitch which is to be used, then measure the number of stitches and rows to 1 inch. Tighten or loosen tension if necessary, or if the difference is great, a larger or smaller pair of needles may be used, according to requirements. Garments can also be reduced or enlarged by one size by using this method, that is, if the tension is the same as the given instructions, but as the length will also be subject to variation it should be measured carefully and any adjustment made by eliminating rows or adding to the number, as necessary.

To Enlarge a Garment (without changing needles) : Refer to the tension sample and cast on according to the extra number of inches required, e.g. : If the directions for an infant garment are given for a 22 inch chest measurement, and a 24 inch measurement is desired, cast on the number of stitches given in directions plus the number of stitches to equal 1 inch—on the Front of garment, and the same number on the Back. When making the neck division the extra stitches should be allowed for on either side of the centre division, casting off the extra stitches on each shoulder seam. If working a lace patterned garment the number of stitches added must correspond with the number of stitches in **each pattern** of lace.

To Lengthen Garment : If garment is required longer than the given instructions, the extra number of rows to the inch can be added.

To Reduce Size of Garment : Deduct the number of stitches to the inch according to size required. Length of garment can be adjusted in the same manner by reducing the number of rows.

Knitting Notes

To Decrease : (1) Knit or Purl 2 stitches together by placing the needle through both stitches before putting the wool around the needle. (2) Work to the stitches which are to be decreased, then Slip 1, Knit 1, pass Slip Stitch over. (3) Knit 2 together through back of loops.

Matching Decreases : To make right and left hand decreases match when decreasing in a skirt or wherever stitches are required to fall in a corresponding manner work thus :—Knit 2 together, work the number of stitches that occur between decreases, then Knit 2 together through back of stitches.

To Increase : (1) Knit twice into the stitch, by first knitting into the front, then into the back of the same stitch.

Invisible Increase : (2) Knit into the stitch directly below the one on left-hand needle, then into the stitch on the needle.

Increase : (3) (with a hole) : (a) On a Knit row, bring wool forward before knitting the next stitch on needle. (b) On a Purl row place wool over needle to back, then forward to front ready to purl the next stitch.

Joining Seams : Sew seams by placing both edges together on wrong side of work and sew together with flat seams, taking a stitch from each side alternately.

Grafting : Having an equal number of stitches on two knitting needles placed together, work from front needle, using a needle threaded with the end of wool : * Place needle through first stitch on front needle as if to knit. Take off : Place needle through second stitch on front needle as if to purl. Leave on : Place needle through first stitch on back needle as if to purl. Take off : Place needle through second stitch on back needle as if to knit. Leave on : Repeat from * working all stitches off.

To Join Wool : Separate the strands in each end of wool, removing half the number of strands from each end, place the threads alternately together and rub until ends unite.

To Pick Up Stitches Around Neck-Line : When picking up stitches around neck or edges, holes often occur and can be avoided by twisting the stitch before knitting through it.

Shoulder Shaping : When working a shoulder shaping, either by the cast-off method or by working to within a certain number of stitches, a gap between shapings can be avoided by always slipping the first stitch.

Casting Off : The stitch remaining on the needle after casting off, is counted as a stitch when working the pattern.

Washing Hints

1. Dissolve soap flakes THOROUGHLY in warm water.
2. GENTLY squeeze garment in the solution, DO NOT RUB, as this would fluff the wool.
3. Do not STRETCH the WET garment in any way—support with the hands when lifting from the water.
4. RINSE in SEVERAL warm and cold waters, THOROUGHLY, to remove soap.
5. SQUEEZE well.
6. To dry, place on a clean towel on a FLAT SURFACE, mould to shape with the hands, cover with clean paper, and leave until dry.

This Book is prepared and published by Lincoln Mills (Australia) Limited, Gaffney Street, Coburg, Victoria.

ALL RIGHTS RESERVED.

Wholly set up and printed in Australia by D. W. Paterson Co. Pty. Ltd



LINCOLN

Model No. L1398

SEE PAGE 11